American Journal of Physiology:
Cell Physiology

No. 1. JANUARY 1998

AJP CENTENNIAL

Table of contents 1898

One hundred years of journal publication
T. A. Appel C1

Editorial
L. R. Johnson and B. B. Rauner C11

A century of (epithelial) transport physiology: from vitalism to molecular cloning
S. G. Schultz C13

INVITED REVIEW

ATP-sensitive K^+ channels in pancreatic, cardiac, and vascular smooth muscle cells
H. Yokoshiki, M. Sunagawa, T. Seki, and N. Sperelakis C25

EDITORIAL FOCUS

Focus on "Aldosterone responsiveness of A6 cells is restored by cloned rat mineralocorticoid receptor"
C. O. Watlington C38

Aldosterone responsiveness of A6 cells is restored by cloned rat mineralocorticoid receptor
S.-Y. Chen, J. Wang, W. Liu, and D. Pearce C39

Continuous binding of the PAF molecule to its receptor is necessary for the long-term aggregation of platelets
M. Suzuki, J. Sugatani, M. Ino, M. Shimura, M. Akiyama, R. Yamazaki, Y. Suzuki, and M. Miwa C47

Effect of TNF-α on SMIT mRNA levels and *myo*-inositol accumulation in cultured endothelial cells
M. A. Yorek, J. A. Dunlap, M. J. Thomas, P. R. Cammarata, C. Zhou, and W. L. Lowe, Jr. C58

Posttranslational regulation of cyclooxygenase by tyrosine phosphorylation in cerebral endothelial cells
H. Parfenova, L. Balabanova, and C. W. Leffler C72

Suppression of cAMP by phosphoinositol/Ca^{2+} pathway in the cardiac κ-opioid receptor
W.-M. Zhang and T.-M. Wong C82

Glycolytic flux in permeabilized freshly isolated vascular smooth muscle cells
C. D. Hardin and D. R. Finder C88

State of actin in gastric parietal cells
J. G. Forte, B. Ly, Q. Rong, S. Ogihara, M. Ramilo, B. Agnew, and X. Yao C97

Activation of Ca^{2+}-dependent K^+ channels by cyanide in guinea pig adrenal chromaffin cells
M. Inoue and I. Imanaga C105

Nitric oxide regulates oxygen uptake and hydrogen peroxide release by the isolated beating rat heart
J. J. Poderoso, J. G. Peralta, C. L. Lisdero, M. C. Carreras, M. Radisic, F. Schöpfer, E. Cadenas, and A. Boveris C112

Modulation of Ca^{2+}-gated cardiac muscle Ca^{2+}-release channel (ryanodine receptor) by mono- and divalent ions
W. Liu, D. A. Pasek, and G. Meissner C120

Expression of *fos* and *jun* genes in human skeletal muscle after exercise
A. Puntschart, E. Wey, K. Jostarndt, M. Vogt, M. Wittwer, H. R. Widmer, H. Hoppeler, and R. Billeter C129

Modulation of K^+ channels by arachidonic acid in T84 cells. I. Inhibition of the Ca^{2+}-dependent K^+ channel
D. C. Devor and R. A. Frizzell C138

Modulation of K^+ channels by arachidonic acid in T84 cells. II. Activation of a Ca^{2+}-independent K^+ channel
D. C. Devor and R. A. Frizzell C149

Differences in regulation of Ca^{2+}-activated Cl^- channels in colonic and parotid secretory cells
J. Arreola, J. E. Melvin, and T. Begenisich C161

Role of H_2O_2 and heme-containing O_2 sensors in hypoxic regulation of tyrosine hydroxylase gene expression
S. L. Kroll and M. F. Czyzyk-Krzeska C167

Na^+ influx and Na^+-K^+ pump activation during short-term exposure of cardiac myocytes to aldosterone
A. S. Mihailidou, K. A. Buhagiar, and H. H. Rasmussen C175

MDR1 in taste buds of rat vallate papilla: functional, immunohistochemical, and biochemical evidence
I. Jakob, I. A. Hauser, F. Thévenod, and B. Lindemann C182

Polyamine deficiency alters EGF receptor distribution and signaling effectiveness in IEC-6 cells
S. A. McCormack, P. M. Blanner, B. J. Zimmerman, R. Ray, H. M. Poppleton, T. B. Patel, and L. R. Johnson C192

Amino acids stimulate phosphorylation of $p70^{S6k}$ and organization of rat adipocytes into multicellular clusters
H. L. Fox, S. R. Kimball, L. S. Jefferson, and C. J. Lynch C206

Angiotensin II stimulates the production of NO and peroxynitrite in endothelial cells
M. E. Pueyo, J.-F. Arnal, J. Rami, and J.-B. Michel C214

Signal transduction pathways involved in the regulation of protein synthesis by insulin in L6 myoblasts
S. R. Kimball, R. L. Horetsky, and L. S. Jefferson C221

Use of DNA injection for identification of slow nerve-dependent regions of the *MLC2s* gene
V. A. Lupa-Kimball and K. A. Esser C229

Podokinesis in endothelial cell migration: role of nitric oxide
E. Noiri, E. Lee, J. Testa, J. Quigley, D. Colflesh, C. R. Keese, I. Giaever, and M. S. Goligorsky C236

Inducible nitric oxide synthase augments injury elicited by oxidative stress in rat cardiac myocytes
J. Igarashi, M. Nishida, S. Hoshida, N. Yamashita, H. Kosaka, M. Hori, T. Kuzuya, and M. Tada C245

Cyclopiazonic acid-induced changes in the contraction and Ca^{2+} transient of frog fast-twitch skeletal muscle
W. Même, C. Huchet-Cadiou, and C. Léoty C253

PKA inhibitor, H-89, affects the intracellular transit of regulated secretory proteins in rat lacrimal glands
P. Robin, B. Rossignol, and M. N. Raymond C262

Neuronal swelling and surface area regulation: elevated intracellular calcium is not a requirement
T. L. Herring, I. M. Slotin, J. M. Baltz, and C. E. Morris C272

ANG II-induced translocation of cytosolic PLA_2 to the nucleus in vascular smooth muscle cells
E. J. Freeman, M. L. Ruehr, and R. V. Dorman C282

Comparison of intestinal folate carrier clone expressed in IEC-6 cells and in *Xenopus* oocytes
C. K. Kumar, T. T. Nguyen, F. B. Gonzales, and H. M. Said C289

No. 2. FEBRUARY 1998

EDITORIAL

Where we're going . . .
K. E. Barrett C295

EDITORIAL FOCUS

Focus on "Effect of expressing the water channel aquaporin-1 on the CO_2 permeability of *Xenopus* oocytes"
L. Reuss C297

A model of Na-K-2Cl cotransport based on ordered ion binding and glide symmetry
C. Lytle, T. J. McManus, and M. Haas C299

Hyperexpression of recombinant CFTR in heterologous cells alters its physiological properties
R. Mohammad-Panah, S. Demolombe, D. Riochet, V. Leblais, G. Loussouarn, H. Pollard, I. Baró, and D. Escande C310

pH-independent retrograde targeting of glycolipids to the Golgi complex
F. B. Schapiro, C. Lingwood, W. Furuya, and S. Grinstein C319

Cl^- currents activated via purinergic receptors in *Xenopus* follicles
R. O. Arellano, E. Garay, and R. Miledi C333

Transient regulation of c-fos, αB-crystallin, and hsp70 in muscle during recovery from contractile activity
P. D. Neufer, G. A. Ordway, and R. S. Williams C341

Hypoxic regulation of endothelial glyceraldehyde-3-phosphate dehydrogenase
K. K. Graven, R. J. McDonald, and H. W. Farber C347

Regulation of Na-K-ATPase gene expression by hyperoxia in MDCK cells
C. H. Wendt, H. Towle, R. Sharma, S. Duvick, K. Kawakami, G. Gick, and D. H. Ingbar C356

Changes in myosin heavy chain mRNA and protein isoforms of rat muscle during forced contractile activity
F. Jaschinski, M. Schuler, H. Peuker, and D. Pette C365

Adenylyl cyclase is involved in desensitization and recovery of ATP-stimulated Cl^- secretion in MDCK cells
J. S. Woo, C. N. Inoue, K. Hanaoka, E. M. Schwiebert, S. E. Guggino, and W. B. Guggino C371

Female gender hormones regulate mRNA levels and function of the rat lung epithelial Na channel
N. Sweezey, S. Tchepichev, S. Gagnon, K. Fertuck, and H. O'Brodovich C379

Protein kinase Cβ regulates heterologous desensitization of thrombin receptor (PAR-1) in endothelial cells
W. Yan, C. Tiruppathi, H. Lum, R. Qiao, and A. B. Malik C387

Homocysteine redox receptor and regulation of extracellular matrix components in vascular cells
S. C. Tyagi C396

Availability of eIF4E regulates skeletal muscle protein synthesis during recovery from exercise
T. A. Gautsch, J. C. Anthony, S. R. Kimball, G. L. Paul, D. K. Layman, and L. S. Jefferson C406

Functional comparison of the three isoforms of the Na^+/Ca^{2+} exchanger (NCX1, NCX2, NCX3)
B. Linck, Z. Qiu, Z. He, Q. Tong, D. W. Hilgemann, and K. D. Philipson C415

Voltage-gated Ca^{2+} currents in rat gastric enterochromaffin-like cells
J. Bufler, G. C. Choi, C. Franke, W. Schepp, and C. Prinz C424

Cyclic ADP-ribose activates caffeine-sensitive calcium channels from sea urchin egg microsomes
C. F. Pérez, J. J. Marengo, R. Bull, and C. Hidalgo C430

Stimulation of membrane serine-threonine phosphatase in erythrocytes by hydrogen peroxide and staurosporine
I. Bize, P. Muñoz, M. Canessa, and P. B. Dunham C440

Thrombin activates a membrane-associated calcium-independent PLA_2 in ventricular myocytes
J. McHowat and M. H. Creer C447

Functional expression of a truncated Ca^{2+}-activated Cl^- channel and activation by phorbol ester
H.-L. Ji, M. D. DuVall, H. K. Patton, C. L. Satterfield, C. M. Fuller, and D. J. Benos C455

Molecular and kinetic alterations of muscle AMP deaminase during chronic creatine depletion
J. W. E. Rush, P. C. Tullson, and R. L. Terjung C465

Ets-1 is an early response gene activated by ET-1 and PDGF-BB in vascular smooth muscle cells
S. Naito, S. Shimizu, S. Maeda, J. Wang, R. Paul, and J. A. Fagin C472

Direct inhibitory effect of CCCP on the Cl^--H^+ symporter of the guinea pig ileal brush-border membrane
F. Alvarado and M. Vasseur C481

Effect of IBMX and alkaline phosphatase inhibitors on Cl^- secretion in G551D cystic fibrosis mutant mice
S. N. Smith, S. J. Delaney, J. R. Dorin, R. Farley, D. M. Geddes, D. J. Porteous, B. J. Wainwright, and E. W. F. W. Alton C492

Characteristics of rabbit ClC-2 current expressed in *Xenopus* oocytes and its contribution to volume regulation
T. Furukawa, T. Ogura, Y. Katayama, and M. Hiraoka C500

$[Ca^{2+}]_i$-reducing action of cAMP in rat pancreatic β-cells: involvement of thapsigargin-sensitive stores
K. Yaekura and T. Yada C513

Differences in transglutaminase mRNA after polyamine depletion in two cell lines
J.-Y. Wang, M. J. Viar, J. Li, H.-J. Shi, A. R. Patel, and L. R. Johnson C522

MODELING IN PHYSIOLOGY

Frequency selectivity, multistability, and oscillations emerge from models of genetic regulatory systems
P. Smolen, D. A. Baxter, and J. H. Byrne C531

RAPID COMMUNICATIONS

Effect of expressing the water channel aquaporin-1 on the CO_2 permeability of *Xenopus* oocytes
N. L. Nakhoul, B. A. Davis, M. F. Romero, and W. F. Boron C543

Fourfold reduction of water permeability in inner medullary collecting duct of aquaporin-4 knockout mice
C. L. Chou, T. Ma, B. Yang, M. A. Knepper, and A. S. Verkman C549

No. 3. MARCH 1998

EDITORIAL FOCUS

The never-ending pas de deux. Focus on "Capacitative Ca^{2+} entry is involved in cAMP synthesis in mouse parotid acini"
F. Pecker and J. Hanoune C555

Capacitative Ca^{2+} entry is involved in cAMP synthesis in mouse parotid acini
E. L. Watson, Z. Wu, K. L. Jacobson, D. R. Storm, J. C. Singh, and S. M. Ott C557

A cationic nonselective stretch-activated channel in the Reissner's membrane of the guinea pig cochlea
T.-H. Yeh, P. Herman, M.-C. Tsai, P. Tran Ba Huy, and T. Van Den Abbeele C566

Characterization of a transient outward K^+ current with inward rectification in canine ventricular myocytes
G.-R. Li, H. Sun, and S. Nattel C577

Aldosterone stimulates intestinal Na^+ absorption in rats by increasing NHE3 expression of the proximal colon
J. H. Cho, M. W. Musch, C. M. Bookstein, R. L. McSwine, K. Rabenau, and E. B. Chang C586

α-Cardiac-like myosin heavy chain as an intermediate between MHCIIa and MHCIβ in transforming rabbit muscle
H. Pzuker, A. Conjard, and D. Pette C595

Activity and protein localization of multiple glutamate transporters in gestation *day 14* vs. *day 20* rat placenta
J. C. Matthews, M. J. Beveridge, M. S. Malandro, J. D. Rothstein, M. Campbell-Thompson, J. W. Verlander, M. S. Kilberg, and D. A. Novak C603

Reduced Ca^{2+} uptake by mitochondria in pyruvate dehydrogenase-deficient human diploid fibroblasts
R. A. Padua, K. T. Baron, B. Thyagarajan, C. Campbell, and S. A. Thayer C615

Imaging caffeine-induced Ca^{2+} transients in individual fast-twitch and slow-twitch rat skeletal muscle fibers
M. K. D. Pagala and S. R. Taylor C623

Cellular differentiation and I-FABP protein expression modulate fatty acid uptake and diffusion
B. P. Atshaves, W. B. Foxworth, A. Frolov, J. B. Roths, A. B. Kier, B. K. Oetama, J. A. Piedrahita, and F. Schroeder C633

Cell-specific promoter in adenovirus vector for transgenic expression of SERCA1 ATPase in cardiac myocytes
G. Inesi, D. Lewis, C. Sumbilla, A. Nandi, C. Strock, K. W. Huff, T. B. Rogers, D. C. Johns, P. D. Kessler, and C. P. Ordahl C645

α_2-Adrenergic receptors increase cell migration and decrease F-actin labeling in rat aortic smooth muscle cells
J. G. Richman and J. W. Regan C654

Control of Ca^{2+} wave propagation in mouse pancreatic acinar cells
F. Pfeiffer, L. Sternfeld, A. Schmid, and I. Schulz C663

Charybdotoxin block of Ca^{2+}-activated K^+ channels in colonic muscle depends on membrane potential dynamics
B. W. Frey, A. Carl, and N. G. Publicover C673

In vivo analysis of the myosin heavy chain IIB promoter region
S. J. Swoap C681

A basolateral sorting signal is encoded in the α-subunit of Na-K-ATPase
T. R. Muth, C. J. Gottardi, D. L. Roush, and M. J. Caplan C688

Osmotic regulation of intestinal epithelial Na^+-K^+-Cl^- cotransport: role of Cl^- and F-actin
J. B. Matthews, J. A. Smith, E. C. Mun, and J. K. Sicklick C697

Human orbital fibroblasts are activated through CD40 to induce proinflammatory cytokine production
G. D. Sempowski, J. Rozenblit, T. J. Smith, and R. P. Phipps C707

A divergent CFTR homologue: highly regulated salt transport in the euryhaline teleost *F. heteroclitus*
T. D. Singer, S. J. Tucker, W. S. Marshall, and C. F. Higgins C715

ATP stimulation of Na^+/Ca^{2+} exchange in cardiac sarcolemmal vesicles
G. Berberián, C. Hidalgo, R. DiPolo, and L. Beaugé C724

Basic fibroblast growth factor destabilizes osteonectin mRNA in osteoblasts
A. M. Delany and E. Canalis C734

Relationship between paxillin and myosin phosphorylation during muscarinic stimulation of smooth muscle
D. Mehta, Z. Wang, M.-F. Wu, and S. J. Gunst C741

Regulation of cGMP-induced relaxation and cGMP-dependent protein kinase in rat myometrium during pregnancy
R. A. Word and T. L. Cornwell C748

Phosphate transport by the human renal cotransporter NaPi-3 expressed in HEK-293 cells
R. T. Timmer and R. B. Gunn C757

Endotoxin-induced skeletal muscle contractile dysfunction: contribution of nitric oxide synthases
Q. El-Dwairi, A. Comtois, Y. Guo, and S. N. A. Hussain C770

Ontogeny of malate-aspartate shuttle capacity and gene expression in cardiac mitochondria
T. D. Scholz, S. L. Koppenhafer, C. J. TenEyck, and B. C. Schutte C780

Activation of $p42^{mapk}$ in human umbilical vein endothelial cells by interleukin-1α and tumor necrosis factor-α
M. J. May, C. P. D. Wheeler-Jones, R. A. Houliston, and J. D. Pearson C789

Electrodiffusional ATP movement through the cystic fibrosis transmembrane conductance regulator
H. F. Cantiello, G. R. Jackson, Jr., C. F. Grosman, A. G. Prat, S. C. Borkan, Y. Wang, I. L. Reisin, C. R. O'Riordan, and D. A. Ausiello C799

Sequential increases in capillarization and mitochondrial enzymes in low-frequency-stimulated rabbit muscle
D. Škorjanc, F. Jaschinski, G. Heine, and D. Pette C810

Type II protein kinase A regulates CFTR in airway, pancreatic, and intestinal cells
W. K. Steagall, T. J. Kelley, R. J. Marsick, and M. L. Drumm C819

Nitric oxide inhibits superoxide production by inflammatory polymorphonuclear leukocytes
J. Ródenas, M. T. Mitjavila, and T. Carbonell C827

Regulation of Na^+/H^+ exchanger gene expression: mitogenic stimulation increases NHE1 promoter activity
P. Besson, F. Fernandez-Rachubinski, W. Yang, and L. Fliegel C831

SPECIAL COMMUNICATIONS

Capillary electrophoretic measurement of tissue metabolites
P. F. Dillon and P. R. Sears C840

Metabolic fluctuation during a muscle contraction cycle
Y. Chung, R. Sharman, R. Carlsen, S. W. Unger, D. Larson, and T. Jue C846

No. 4. APRIL 1998

EDITORIAL FOCUS

Living and dying with reactive species. Focus on "Peroxynitrite induces apoptosis of HL-60 cells by activation of a caspase-3 family protease"
H. Ischiropoulos C853

Peroxynitrite induces apoptosis of HL-60 cells by activation of a caspase-3 family protease
K.-T. Lin, J.-Y. Xue, M. C. Lin, E. G. Spokas, F. F. Sun, and P. Y.-K. Wong C855

Elevated growth hormone increases the Ca^{2+} sensitivity of slow- and fast-twitch skeletal muscle of female rats
X. Xu, J. Forrer, P. J. Bechtel, and P. M. Best C861

Taurine synthesis and cysteine metabolism in cultured rat astrocytes: effects of hyperosmotic exposure
J. W. Beetsch and J. E. Olson C866

Bioelectric properties of human cystic fibrosis and non-cystic fibrosis fetal tracheal xenografts in SCID mice
R. Tirouvanziam, M. Desternes, A. Saari, E. Puchelle, B. Péault, and T. Chinet C875

Intracellular acidification induced by passive and active transport of ammonium ions in astrocytes
T. N. Nagaraja and N. Brookes C883

Actions of substance P on membrane potential and ionic currents in guinea pig stellate ganglion neurons
R. Gilbert, J. S. Ryan, M. Horackova, F. M. Smith, and M. E. M. Kelly C892

Basal chloride currents in murine airway epithelial cells: modulation by CFTR
R. Tarran, M. A. Gray, M. J. Evans, W. H. Colledge, R. Ratcliff, and B. E. Argent C904

Sulfhydryls associated with H_2O_2-induced channel activation are on luminal side of ryanodine receptors
T. Oba, T. Ishikawa, and M. Yamaguchi C914

Sertoli cell expression of the cystic fibrosis transmembrane conductance regulator
F. R. Boockfor, R. A. Morris, D. C. DeSimone, D. M. Hunt, and K. B. Walsh C922

Nerve growth factor regulates HCO_3^- absorption in thick ascending limb: modifying effects of vasopressin
D. W. Good C931

Evidence for Na^+/Ca^{2+} exchange in intact single skeletal muscle fibers from the mouse
C. D. Balnave and D. G. Allen C940

Time-dependent stimulation by aldosterone of blocker-sensitive ENaCs in A6 epithelia
S. I. Helman, X. Liu, K. Baldwin, B. L. Blazer-Yost, and W. J. Els C947

Inhibition of Ca^{2+}-dependent Cl^- secretion in T84 cells: membrane target(s) of inhibition is agonist specific
K. E. Barrett, J. Smitham, A. Traynor-Kaplan, and J. M. Uribe C958

Determinants of slow gating in ClC-0, the voltage-gated chloride channel of *Torpedo marmorata*
P. Fong, A. Rehfeldt, and T. J. Jentsch C966

Differential translocation of protein kinase C isozymes by phorbol esters, EGF, and ANG II in rat liver WB cells
J. A. Maloney, O. Tsygankova, A. Szot, L. Yang, Q. Li, and J. R. Williamson C974

Activation of Ca^{2+}-activated K^+ (maxi-K^+) channel by angiotensin II in myocytes of the guinea pig ileum
F. Romero, B. A. Silva, V. L. A. Nouailhetas, and J. Aboulafia C983

Regulation of cardiac AMP-specific 5′-nucleotidase during ischemia mediates ATP resynthesis on reflow
M. I. Bak and J. S. Ingwall C992

A volume-sensitive protein kinase regulates the Na-K-2Cl cotransporter in duck red blood cells
C. Lytle C1002

Circadian regulation of CREB transcription factor in mouse esophagus
L. A. Scheving and W. Gardner C1011

Identification of clathrin and clathrin adaptors on tubulovesicles of gastric acid secretory (oxyntic) cells
C. T. Okamoto, S. M. Karam, Y. Y. Jeng, J. G. Forte, and J. R. Goldenring C1017

Inhibition of cell differentiation by $G\alpha_q$ in the renal epithelial cell line LLC-PK_1
L. Sun, D. J. Weaver, K. Amsler, and E. R. Weiss C1030

Oxidant-induced arachidonic acid release and impairment of fatty acid acylation in vascular smooth muscle cells
A. Cane, M. Breton, K. Koumanov, G. Béréziat, and O. Colard C1040

ANG II controls Na^+-K^+(NH_4^+)-$2Cl^-$ cotransport via 20-HETE and PKC in medullary thick ascending limb
H. Amlal, C. LeGoff, C. Vernimmen, M. Soleimani, M. Paillard, and M. Bichara C1047

Age-dependent reductions in A_1 adenosine receptor expression in rat testes
S. G. Bhat, M. Wilson, and V. Ramkumar C1057

Growth factor-like phospholipids generated after corneal injury
K. Liliom, Z. Guan, J.-L. Tseng, D. M. Desiderio, G. Tigyi, and M. A. Watsky C1065

Inhibition of proximal tubular fluid absorption by nitric oxide and atrial natriuretic peptide in rat kidney
E. Eitle, S. Hiranyachattada, H. Wang, and P. J. Harris C1075

Cloning and functional studies of splice variants of the α-subunit of the amiloride-sensitive Na^+ channel
J. K. Tucker, K. Tamba, Y.-J. Lee, L.-L. Shen, D. G. Warnock, and Y. Oh C1081

Reversible effects of acute hypertension on proximal tubule sodium transporters
Y. Zhang, C. E. Magyar, J. M. Norian, N.-H. Holstein-Rathlou, A. K. Mircheff, and A. A. McDonough C1090

Glutamine transport by the blood-brain barrier: a possible mechanism for nitrogen removal
W.-J. Lee, R. A. Hawkins, J. R. Viña, and D. R. Peterson C1101

Retinoids modulate P_{2U} purinergic receptor-mediated changes in transcervical paracellular permeability
G. I. Gorodeski, D. Pal, E. A. Rorke, R. L. Eckert, and P. Burfeind C1108

Time-dependent modulation of capacitative Ca^{2+} entry signals by plasma membrane Ca^{2+} pump in endothelium
A. Klishin, M. Sedova, and L. A. Blatter C1117

Norepinephrine stimulates arachidonic acid release from vascular smooth muscle via activation of $cPLA_2$
E. F. LaBelle and E. Polyak C1129

Contractile function and low-intensity exercise effects of old dystrophic (*mdx*) mice
A. Hayes and D. A. Williams C1138

Myogenic NOS in canine lower esophageal sphincter: enzyme activation, substrate recycling, and product actions
A. M. F. Salapatek, Y.-F. Wang, Y.-K. Mao, M. Mori, and E. E. Daniel C1145

MODELING IN PHYSIOLOGY

Model of β-cell mitochondrial calcium handling and electrical activity. I. Cytoplasmic variables
G. Magnus and J. Keizer C1158

Model of β-cell mitochondrial calcium handling and electrical activity. II. Mitochondrial variables
G. Magnus and J. Keizer C1174

LETTERS TO THE EDITOR

Unphysiological effects contributing to asparaginase toxicity in vitro
A. Wagner and J. Boos; S. M. Schuster and M. S. Kilberg C1185

No. 5. MAY 1998

EDITORIAL FOCUS

Focus on "A 310-bp minimal promoter mediates smooth muscle cell-specific expression of telokin"
S. L. White C1187

A 310-bp minimal promoter mediates smooth muscle cell-specific expression of telokin
A. F. Smith, R. M. Bigsby, R. A. Word, and B. P. Herring C1188

Diversity of Ca^{2+}-mobilizing mechanisms. Focus on "cGMP-mediated Ca^{2+} release from IP_3-insensitive Ca^{2+} stores in smooth muscle"
P. Biancani C1196

cGMP-mediated Ca^{2+} release from IP_3-insensitive Ca^{2+} stores in smooth muscle
K. S. Murthy and G. M. Makhlouf C1199

Serum deprivation induces a unique hypercontractile phenotype of cultured smooth muscle cells
X. Ma, Y. Wang, and N. L. Stephens C1206

Human Na^+-*myo*-inositol cotransporter gene: alternate splicing generates diverse transcripts
F. Porcellati, T. Hlaing, M. Togawa, M. J. Stevens, D. D. Larkin, Y. Hosaka, T. W. Glover, D. N. Henry, D. A. Greene, and P. D. Killen C1215

Contractile activity is required for sarcomeric assembly in phenylephrine-induced cardiac myocyte hypertrophy
D. M. Eble, M. Qi, S. Waldschmidt, P. A. Lucchesi, K. L. Byron, and A. M. Samarel C1226

Increased prostacyclin and PGE_2 stimulated cAMP production by macrophages from endotoxin-tolerant rats
M. A. Makhlouf, L. P. Fernando, T. W. Gettys, P. V. Halushka, and J. A. Cook C1238

A second enzyme protecting mineralocorticoid receptors from glucocorticoid occupancy
D. J. Morris, S. A. Latif, M. D. Rokaw, C. O. Watlington, and J. P. Johnson C1245

Effect of phorbol esters on Ca^{2+} sensitivity and myosin light-chain phosphorylation in airway smooth muscle
D. H. Bremerich, T. Kai, D. O. Warner, and K. A. Jones C1253

Quantitative contribution of NHE2 and NHE3 to rabbit ileal brush-border Na^+/H^+ exchange
L. Wormmeester, F. Sanchez de Medina, F. Kokke, C.-M. Tse, S. Khurana, J. Bowser, M. E. Cohen, and M. Donowitz C1261

Basis for late rise in fura 2 R signal reporting $[Ca^{2+}]_i$ during relaxation in intact rat ventricular trabeculae
Y. Jiang, M. F. Patterson, D. L. Morgan, and F. J. Julian C1273

Is cytoskeletal tension a major determinant of cell deformability in adherent endothelial cells?
J. Pourati, A. Maniotis, D. Spiegel, J. L. Schaffer, J. P. Butler, J. J. Fredberg, D. E. Ingber, D. Stamenovic, and N. Wang C1283

Neuropeptide Y inhibition of calcium channels in PC-12 pheochromocytoma cells
L. A. McCullough, T. M. Egan, and T. C. Westfall C1290

Structure and in vitro function of human subcutaneous small arteries in mild heart failure
N. Stephens, M. J. Drinkhill, A. S. Hall, S. G. Ball, and A. M. Heagerty C1298

Milrinone inhibits contractility in skinned skeletal muscle fibers
C. Y. Seow, L. Morishita, and B. H. Bressler C1306

5′ Heterogeneity in epithelial sodium channel α-subunit mRNA leads to distinct NH_2-terminal variant proteins
C. P. Thomas, S. Auerbach, J. B. Stokes, and K. A. Volk C1312

Modulation of human neuronal α_{1E}-type calcium channel by $\alpha_2\delta$-subunit
N. Qin, R. Olcese, E. Stefani, and L. Birnbaumer C1324

Aquaporins in complex tissues: distribution of aquaporins 1–5 in human and rat eye
S. Hamann, T. Zeuthen, M. La Cour, E. Nagelhus, O. P. Ottersen, P. Agre, and S. Nielsen C1332

Frequency modulation of Ca^{2+} sparks is involved in regulation of arterial diameter by cyclic nucleotides
V. A. Porter, A. D. Bonev, H. J. Knot, T. J. Heppner, A. S. Stevenson, T. Kleppisch, W. J. Lederer, and M. T. Nelson C1346

In vitro and in vivo evaluation of insulin-producing βTC6-F7 cells in microcapsules
D. Zhou, A. M. Sun, X. Li, S. N. Mamujee, I. Vacek, J. Georgiou, and M. B. Wheeler C1356

Dying enterocytes downregulate signaling pathways converging on Ras: rescue by protease inhibition
L. A. Scheving, W.-H. Jin, K.-M. Chong, W. Gardner, and F. O. Cope C1363

Hormonal regulation of ENaCs: insulin and aldosterone
B. L. Blazer-Yost, X. Liu, and S. I. Helman C1373

Contractile activity-induced adaptations in the mitochondrial protein import system
M. Takahashi, A. Chesley, D. Freyssenet, and D. A. Hood C1380

Chronic exposure to TPA depletes PKCα and augments Ca-dependent insulin secretion from cultured rat islets
W. S. Zawalich, M. Bonnet-Eymard, K. C. Zawalich, and G. C. Yaney C1388

Differential regulation of single CFTR channels by PP2C, PP2A, and other phosphatases
J. Luo, M. D. Pato, J. R. Riordan, and J. W. Hanrahan C1397

Alterations in AMP deaminase activity and kinetics in skeletal muscle of creatine kinase-deficient mice
P. C. Tullson, J. W. E. Rush, B. Wieringa, and R. L. Terjung C1411

Peroxynitrite inhibits amiloride-sensitive Na^+ currents in *Xenopus* oocytes expressing $\alpha\beta\gamma$-rENaC
M. D. DuVall, S. Zhu, C. M. Fuller, and S. Matalon C1417

RAPID COMMUNICATION

Equibiaxial strain and strain rate stimulate early activation of G proteins in cardiac fibroblasts
S. R. P. Gudi, A. A. Lee, C. B. Clark, and J. A. Frangos C1424

No. 6. JUNE 1998

INVITED REVIEW

Proteinase-activated receptors: novel mechanisms of signaling by serine proteases
O. Déry, C. U. Corvera, M. Steinhoff, and N. W. Bunnett C1429

EDITORIAL FOCUS

How many messengers to send calcium? Focus on "IP_3 receptor blockade fails to prevent intracellular Ca^{2+} release by ET-1 and α-thrombin"
A. P. Somlyo C1453

IP_3 receptor blockade fails to prevent intracellular Ca^{2+} release by ET-1 and α-thrombin
R. S. Mathias, K. Mikoshiba, T. Michikawa, A. Miyawaki, and H. E. Ives C1456

Deoxygenation of sickle red blood cells stimulates KCl cotransport without affecting Na^+/H^+ exchange
C. H. Joiner, M. Jiang, H. Fathallah, F. Giraud, and R. S. Franco C1466

Synergistic induction of ornithine decarboxylase by asparagine and gut peptides in intestinal crypt cells
J.-Y. Wang, J. Li, A. R. Patel, S. Summers, L. Li, and B. L. Bass C1476

Distinct domains of the voltage-gated K^+ channel Kvβ1.3 β-subunit affect voltage-dependent gating
V. N. Uebele, S. K. England, D. J. Gallagher, D. J. Snyders, P. B. Bennett, and M. M. Tamkun C1485

SNAP-25 is essential for cortical granule exocytosis in mouse eggs
Y. Ikebuchi, N. Masumoto, T. Matsuoka, T. Yokoi, M. Tahara, K. Tasaka, A. Miyake, and Y. Murata C1496

Modulation of potassium channel gating by coexpression of Kv2.1 with regulatory Kv5.1 or Kv6.1 α-subunits
J. W. Kramer, M. A. Post, A. M. Brown, and G. E. Kirsch C1501

Pharmacological characterization of swelling-induced D-[^{3}H]aspartate release from primary astrocyte cultures
E. M. Rutledge, M. Aschner, and H. K. Kimelberg C1511

MEK inhibition augments Raf activity, but has variable effects on mitogenesis, in vascular smooth muscle cells
R. H. Weiss, E. A. Maga, and A. Ramirez C1521

Testosterone: the culprit for producing splenocyte immune depression after trauma hemorrhage
M. K. Angele, A. Ayala, W. G. Cioffi, K. I. Bland, and I. H. Chaudry C1530

Regulation of the Na^+/H^+ exchanger in fibroblasts overexpressing the Na^+/Ca^{2+} exchanger
T. Ikeda, T. Iwamoto, S. Wakabayashi, and M. Shigekawa C1537

Effect of cell swelling on membrane and cytoplasmic distribution of pI_{Cln}
F. Emma, S. Breton, R. Morrison, S. Wright, and K. Strange C1545

Glucagon-mediated Ca^{2+} signaling in BHK cells expressing cloned human glucagon receptors
L. H. Hansen, J. Gromada, P. Bouchelouche, T. Whitmore, L. Jelinek, W. Kindsvogel, and E. Nishimura C1552

Dynamics of myosin light chain phosphorylation at Ser^{19} and Thr^{18}/Ser^{19} in smooth muscle cells in culture
K. Sakurada, M. Seto, and Y. Sasaki C1563

Growth factor-like action of lysophosphatidic acid on human B lymphoblasts
D. Rosskopf, W. Daelman, S. Busch, M. Schürks, K. Hartung, A. Kribben, M. C. Michel, and W. Siffert C1573

Endothelin-1 activates phospholipases and channels at similar concentrations in porcine coronary arteries
A. W. Jones, L. Magliola, C. B. Waters, and L. J. Rubin C1583

Release of dopamine and norepinephrine by hypoxia from PC-12 cells
G. K. Kumar, J. L. Overholt, G. R. Bright, K. Y. Hui, H. Lu, M. Gratzl, and N. R. Prabhakar C1592

Length-dependent modulation of smooth muscle activation: effects of agonist, cytochalasin, and temperature
T. Youn, S. A. Kim, and C.-M. Hai C1601

Determinants of relaxation rate in skinned frog skeletal muscle fibers
P. A. Wahr, J. D. Johnson, and J. A. Rall C1608

Glutamate transport and cellular glutamine metabolism: regulation in LLC-PK_1 vs. LLC-PK_1-F^+ cell lines
D. Meade, C. Chess, and T. C. Welbourne C1616

Na^+/Ca^{2+} exchange in catfish retina horizontal cells: regulation of intracellular Ca^{2+} store function
M. A. Micci and B. N. Christensen C1625

ICAM-1-CD18 interaction mediates neutrophil cytotoxicity through protease release
C. C. Barnett, Jr., E. E. Moore, G. W. Mierau, D. A. Partrick, W. L. Biffl, D. J. Elzi, and C. C. Silliman C1634

Androgen receptors in human preadipocytes and adipocytes: regional specificities and regulation by sex steroids
M. N. Dieudonné, R. Pecquery, A. Boumediene, M. C. Leneveu, and Y. Giudicelli C1645

Role of cyclic ADP-ribose in the regulation of $[Ca^{2+}]_i$ in porcine tracheal smooth muscle
Y. S. Prakash, M. S. Kannan, T. F. Walseth, and G. C. Sieck C1653

Developmental regulation of ENaC subunit mRNA levels in rat kidney
V. M. Vehaskari, J. M. Hempe, J. Manning, D. H. Aviles, and M. C. Carmichael C1661

β-Adrenergic-induced cytosolic redistribution of Rap1 in rat parotid acini: role in secretion
N. J. D'Silva, K. L. Jacobson, S. M. Ott, and E. L. Watson C1667

Expression of adenylyl cyclase mRNAs in the denervated and in the developing mouse skeletal muscle
Y. Suzuki, T. Shen, M. Poyard, M. Best-Belpomme, J. Hanoune, and N. Defer C1674

Inflammatory cytokines (IL-1α, TNF-α) and LPS modulate the Ca^{2+} signaling pathway in osteoblasts
V. K. Tam, S. Schotland, and J. Green C1686

Regulation of rENaC mRNA by dietary NaCl and steroids: organ, tissue, and steroid heterogeneity
J. B. Stokes and R. D. Sigmund C1699

Occludin is concentrated at tight junctions of mouse/rat but not human/guinea pig Sertoli cells in testes
S. Moroi, M. Saitou, K. Fujimoto, A. Sakakibara, M. Furuse, O. Yoshida, and S. Tsukita C1708

Effect of clenbuterol on sarcoplasmic reticulum function in single skinned mammalian skeletal muscle fibers
A. J. Bakker, S. I. Head, A. C. Wareham, and D. G. Stephenson C1718

Selective hydrolysis of plasmalogen phospholipids by Ca^{2+}-independent PLA_2 in hypoxic ventricular myocytes
J. McHowat, S. Liu, and M. H. Creer C1727

Control of heat production by the Ca^{2+}-ATPase of rabbit and trout sarcoplasmic reticulum
L. De Meis C1738

Synergism between toxin-γ from Brazilian scorpion *Tityus serrulatus* and veratridine in chromaffin cells
I. M. Conceiçao, I. Lebrun, M. Cano-Abad, L. Gandía, J. M. Hernández-Guijo, M. G. López, M. Villarroya, A. Jurkiewicz, and A. G. García C1745

RAPID COMMUNICATION

Voltage dependence of Ca^{2+} sparks in intact cerebral arteries
J. H. Jaggar, A. S. Stevenson, and M. T. Nelson C1755

The Journal no longer publishes print subject and author indexes. Full searchability is available in the online version (**http://www.ajpcell.org**).

American Journal of Physiology: Endocrinology and Metabolism

No. 1. JANUARY 1998

Role of endothelins in regulation of vascular tone in the in situ perfused rat adrenals
G. Mazzocchi, L. K. Malendowicz, F. G. Musajo, G. Gottardo, A. Markowska, and G. G. Nussdorfer E1

Amylin influences insulin-stimulated glucose metabolism by two independent mechanisms
A. L. Castle, C.-H. Kuo, and J. L. Ivy E6

Production and utilization of amino acids by ovine placenta in vivo
M. Chung, C. Teng, M. Timmerman, G. Meschia, and F. C. Battaglia E13

Increased hepatic glucose production response to glucagon in trained subjects
R. Drouin, C. Lavoie, J. Bourque, F. Ducros, D. Poisson, and J.-L. Chiasson E23

Exogenous growth hormone stimulates somatotropic axis function and growth in neonatal pigs
T. J. Wester, T. A. Davis, M. L. Fiorotto, and D. G. Burrin E29

Metabolic inhibition impairs ATP-sensitive K^+ channel block by sulfonylurea in pancreatic β-cells
E. Mukai, H. Ishida, S. Kato, Y. Tsuura, S. Fujimoto, A. Ishida-Takahashi, M. Horie, K. Tsuda, and Y. Seino E38

Effect of cholinergic blockade on inhibited GH secretion by feeding and intraruminal SCFA infusion in sheep
N. Matsunaga, M. Wakiya, S. G. Roh, M. Hirota, M. L. He, S. Hidaka, and H. Hidari E45

Differential effects of rat pregnancy on uterine and lung atrial natriuretic factor receptors
P. Vaillancourt, S. Omer, X.-F. Deng, S. Mulay, and D. R. Varma E52

Effects of acute α_2-blockade on insulin action and secretion in humans
A. Natali, A. Gastaldelli, A. Q. Galvan, A. M. Sironi, D. Ciociaro, G. Sanna, P. Rosenzweig, and E. Ferrannini E57

Ascorbic acid, a vitamin, is observed by in vivo ^{13}C nuclear magnetic resonance spectroscopy of rat liver
E. Küstermann, J. Seelig, and B. Künnecke E65

Influence of muscle glycogen content on metabolic regulation
S. M. Weltan, A. N. Bosch, S. C. Dennis, and T. D. Noakes E72

Preexercise muscle glycogen content affects metabolism during exercise despite maintenance of hyperglycemia
S. M. Weltan, A. N. Bosch, S. C. Dennis, and T. D. Noakes E83

Sarcolemmal glucose transport and GLUT-4 translocation during exercise are diminished by endurance training
E. A. Richter, P. Jensen, B. Kiens, and S. Kristiansen E89

Total daily energy expenditure in free-living older African-Americans and Caucasians
W. H. Carpenter, T. Fonong, M. J. Toth, P. A. Ades, J. Calles-Escandon, J. D. Walston, and E. T. Poehlman E96

Short-term training increases human muscle MCT1 and femoral venous lactate in relation to muscle lactate
A. Bonen, K. J. A. McCullagh, C. T. Putman, E. Hultman, N. L. Jones, and G. J. F. Heigenhauser E102

Hindlimb unloading in rat decreases preosteoblast proliferation assessed in vivo with BrdU incorporation
O. Barou, S. Palle, L. Vico, C. Alexandre, and M.-H. Lafage-Proust E108

Responses to angiotensin peptides are mediated by AT_1 receptors in the rat
H. C. Champion, M. A. Czapla, and P. J. Kadowitz E115

Insulin secretion by gastrin-releasing peptide in mice: ganglionic versus direct islet effect
S. Karlsson, F. Sundler, and B. Ahrén E124

Effect of epinephrine on muscle glycogenolysis and insulin-stimulated muscle glycogen synthesis in humans
D. Laurent, K. F. Petersen, R. R. Russell, G. W. Cline, and G. I. Shulman E130

Sleep-endocrine effects of mifepristone and megestrol acetate in healthy men
K. Wiedemann, C. J. Lauer, M. Hirschmann, K. Knaudt, and F. Holsboer E139

Role for parathyroid hormone in mechanical responsiveness of rat bone
J. W. M. Chow, S. Fox, C. J. Jagger, and T. J. Chambers E146

Fat metabolism in formerly obese women
C. Ranneries, J. Bülow, B. Buemann, N. J. Christensen, J. Madsen, and A. Astrup E155

Effect of a selective rise in sinusoidal norepinephrine on HGP is due to an increase in glycogenolysis
C. A. Chu, D. K. Sindelar, D. W. Neal, E. J. Allen, E. P. Donahue, and A. D. Cherrington E162

Critical evaluation of the combined model approach for estimation of prehepatic insulin secretion
R. M. Watanabe, G. M. Steil, and R. N. Bergman E172

SPECIAL COMMUNICATION

Perfused rat hindlimb is suitable for skeletal muscle glucose transport measurements
J. F. P. Wojtaszewski, A. B. Jakobsen, T. Ploug, and E. A. Richter E184

LETTERS TO THE EDITOR

Heparin and diabetic nephropathy
G. Gambaro and B. Baggio; S. M. Marshall, K. W. Hansen, R. Østerby, J. Frystyk, H. Ørskov, and A. Flyvbjerg E192

No. 2. FEBRUARY 1998

AJP CENTENNIAL

Table of Contents 1898

One hundred years of journal publication
T. A. Appel E195

Editorial
L. R. Johnson and B. B. Rauner E205

Contributions of the *American Journal of Physiology* to the discovery of insulin
I. D. Goldfine and J. F. Youngren E207

Regulation of fatty acid transport protein and fatty acid translocase mRNA levels by endotoxin and cytokines
R. A. Memon, K. R. Feingold, A. H. Moser, J. Fuller, and C. Grunfeld E210

Atrial natriuretic peptide induces acrosomal exocytosis of human spermatozoa
R. Rotem, N. Zamir, N. Keynan, D. Barkan, H. Breitbart, and Z. Naor E218

Differential effects of thyroid hormone on renin secretion, content, and mRNA in juxtaglomerular cells
A. Ichihara, H. Kobori, Y. Miyashita, M. Hayashi, and T. Saruta E224

Total, resting, and activity-related energy expenditures are similar in Caucasian and African-American children
M. Sun, B. A. Gower, T. R. Nagy, C. A. Trowbridge, C. Dezenberg, and M. I. Goran E232

Acute effects of thyroid hormones on the production of adrenal cAMP and corticosterone in male rats
M.-J. Lo, M.-M. Kau, Y.-H. Chen, S.-C. Tsai, Y.-C. Chiao, J.-J. Chen, C. Liaw, C.-C. Lu, B.-P. Lee, S.-C. Chen, V. S. Fang, L.-T. Ho, and P. S. Wang E238

Effects of ovarian steroid hormones and thyroxine on calcitonin secretion in pregnant rats
C.-C. Lu, S.-C. Tsai, S.-W. Wang, C.-L. Tsai, C.-P. Lau, H.-C. Shih, Y.-H. Chen, Y.-C. Chiao, C. Liaw, and P. S. Wang E246

Synthetic flavonoids cross the placenta in the rat and are found in fetal brain
J. P. Schröder-van der Elst, D. van der Heide, H. Rokos, G. Morreale de Escobar, and J. Köhrle E253

Reduced glucose clearance as the major determinant of postabsorptive hyperglycemia in diabetic rats
J. K. Wi, J. K. Kim, and J. H. Youn E257

A disrupted cholecystokinin A receptor gene induces diabetes in obese rats synergistically with ODB1 gene
S. Takiguchi, Y. Takata, N. Takahashi, K. Kataoka, T. Hirashima, K. Kawano, K. Miyasaka, A. Funakoshi, and A. Kono E265

A_1 adenosine receptor antagonism improves glucose tolerance in Zucker rats
B. Xu, D. A. Berkich, G. H. Crist, and K. F. LaNoue E271

The effect of exercise training on leptin levels in obese males
W. J. Pasman, M. S. Westerterp-Plantenga, and W. H. M. Saris E280

Analysis of insulin-stimulated skeletal muscle glucose uptake in conscious rat using isotopic glucose analogs
R. M. O'Doherty, A. E. Halseth, D. K. Granner, D. P. Bracy, and D. H. Wasserman E287

New insights into interactions between the human PTH/PTHrP receptor and agonist/antagonist binding
S. Fukayama, M. Royo, M. Sugita, A. Imrich, M. Chorev, L. J. Suva, M. Rosenblatt, and A. H. Tashjian, Jr. E297

Regulation of hexokinase II activity and expression in human muscle by moderate exercise
J. A. Koval, R. A. DeFronzo, R. M. O'Doherty, R. Printz, H. Ardehali, D. K. Granner, and L. J. Mandarino E304

Nutritional state regulates insulin receptor and IRS-1 phosphorylation and expression in chicken
J. Dupont, M. Derouet, J. Simon, and M. Taouis E309

5-Hydroxytryptamine-1 receptor activation inhibits endocrine pancreatic secretion in humans
B. Coulie, J. Tack, R. Bouillon, T. Peeters, and J. Janssens E317

Role of human liver lipogenesis and reesterification in triglycerides secretion and in FFA reesterification
F. Diraison and M. Beylot E321

Physiological plasma levels of androgens reduce bone loss in the ovariectomized rat
C. K. Lea and A. M. Flanagan E328

A noninternalized nondesensitized truncated AT_{1A} receptor transduces an amplified ANG II signal
S. Conchon, N. Peltier, P. Corvol, and E. Clauser E336

Insulin acutely suppresses glucose production by both peripheral and hepatic effects in normal dogs
R. H. McCall, S. R. Wiesenthal, Z. Q. Shi, K. Polonsky, and A. Giacca E346

Alterations in basal nutrient metabolism increase resting energy expenditure in sickle cell disease
M. J. Borel, M. S. Buchowski, E. A. Turner, B. B. Peeler, R. E. Goldstein, and P. J. Flakoll E357

SPECIAL COMMUNICATION

Gluconeogenesis measured with [U-^{13}C]glucose and mass isotopomer analysis of apoB-100 amino acids in pigs
L. J. Wykes, F. Jahoor, and P. J. Reeds E365

RAPID COMMUNICATIONS

Muscle acetyl group availability is a major determinant of oxygen deficit in humans during submaximal exercise
J. A. Timmons, T. Gustafsson, C. J. Sundberg, E. Jansson, and P. L. Greenhaff E377

A novel ^{13}C NMR method to assess intracellular glucose concentration in muscle, in vivo
G. W. Cline, B. M. Jucker, Z. Trajanoski, A. J. M. Rennings, and G. I. Shulman E381

No. 3. MARCH 1998

Cortisol infusion depresses the ratio of bioactive to immunoreactive ACTH in adrenalectomized sheep fetuses
T. J. Zehnder, N. K. Valego, J. Schwartz, J. Green, and J. C. Rose E391

Contraction duration affects metabolic energy cost and fatigue in skeletal muscle
M. C. Hogan, E. Ingham, and S. S. Kurdak E397

Insulin sensitivity is associated with blood pressure response to sodium in older hypertensives
D. R. Dengel, R. V. Hogikyan, M. D. Brown, S. G. Glickman, and M. A. Supiano E403

Food restriction alters pregnancy-associated changes in IGF and IGFBP in the guinea pig
A. Sohlström, A. Katsman, K. L. Kind, C. T. Roberts, P. C. Owens, J. S. Robinson, and J. A. Owens E410

Divergent changes in plasma ACTH and pituitary POMC mRNA after cortisol administration to late-gestation ovine fetus
T. M. Jeffray, S. G. Matthews, G. L. Hammond, and J. R. G. Challis E417

Diurnal rhythm returns to normal after elimination of portacaval shunting
P. A. Hawkins, M. R. DeJoseph, and R. A. Hawkins E426

Effects of physical exercise on phospholipid fatty acid composition in skeletal muscle
A. Andersson, A. Sjödin, R. Olsson, and B. Vessby E432

Metabolic-cytokine responses to a second immunological challenge with LPS in mice with *T. gondii* infection
D. Arsenijevic, L. Girardier, J. Seydoux, J. C. Pechere, I. Garcia, R. Lucas, H. R. Chang, and A. G. Dulloo E439

Minimal influence of blood flow on interstitial glucose and lactate-normal and insulin-resistant muscle
A. Holmäng, M. Müller, O. K. Andersson, and P. Lönnroth E446

Noradrenergic control of central oxytocin release during lactation in rats
S. L. Bealer and W. R. Crowley E453

Insulin release transduction mechanism through acid glucan 1,4-α-glucosidase activation is Ca^{2+} regulated
A. Salehi, H. Mosén, and I. Lundquist E459

β_3-Adrenergic agonist induces a functionally active uncoupling protein in fat and slow-twitch muscle fibers
T. Yoshida, T. Umekawa, K. Kumamoto, N. Sakane, A. Kogure, M. Kondo, Y. Wakabayashi, T. Kawada, I. Nagase, and M. Saito E469

Ovariectomy augments B lymphopoiesis and generation of monocyte-macrophage precursors in rat bone marrow
R. G. Erben, S. Raith, J. Eberle, and M. Stangassinger E476

Metabolism of skin and muscle protein is regulated differently in response to nutrition
X.-J. Zhang, D. L. Chinkes, D. Doyle, Jr., and R. R. Wolfe E484

Glucose stimulates transcription of fatty acid synthase and malic enzyme in avian hepatocytes
F. B. Hillgartner and T. Charron E493

Human syncytiotrophoblast NPY receptors are located on BBM and activate PLC-to-PKC axis
J. Robidoux, L. Simoneau, S. St-Pierre, H. Ech-Chadli, and J. Lafond E502

Regulation of fatty acid oxidation in untrained vs. trained men during exercise
L. S. Sidossis, R. R. Wolfe, and A. R. Coggan E510

Distinct localization of GLUT-1, -3, and -5 in human monocyte-derived macrophages: effects of cell activation
D. Malide, T. M. Davies-Hill, M. Levine, and I. A. Simpson E516

Brown fat is essential for cold-induced thermogenesis but not for obesity resistance in aP2-*Ucp* mice
B. Štefl, A. Janovská, Z. Hodný, M. Rossmeisl, M. Horáková, I. Syrový, J. Bémová, B. Bendlová, and J. Kopecký E527

Angiotensin II-induced Ca^{2+} mobilization and prolactin release in normal and hyperplastic pituitary cells
G. Díaz-Torga, A. G. Iglesias, R. Achával-Zaia, C. Libertun, and D. Becú-Villalobos E534

Gut mucosal protein synthesis in fed and fasted humans
C. Bouteloup-Demange, Y. Boirie, P. Déchelotte, P. Gachon, and B. Beaufrère E541

Tracer methods underestimate short-term variations in urea production in humans
M. J. Hamadeh and L. J. Hoffer E547

Effect of prior eccentric contractions on lactate/H^+ transport in rat skeletal muscle
H. Pilegaard and S. Asp E554

MODELING IN PHYSIOLOGY

Circulatory model in metabolic studies of rapidly renewed hormones: application to ANP kinetics
A. Pilo, G. Iervasi, A. Clerico, F. Vitek, S. Berti, C. Palmieri, A. Biagini, and L. Donato E560

LETTERS TO THE EDITOR

Minimal model estimate of glucose effectiveness: role of the minimal model volume and of the second hidden compartment
A. Caumo and C. Cobelli; D. T. Finegood E573

No. 4. APRIL 1998

Properties and purification of a glucose-inducible human fatty acid synthase mRNA-binding protein
Q. Li, M. S. Chua, and C. F. Semenkovich E577

Measurement of dermal collagen synthesis rate in vivo in humans
W. A. El-Harake, M. A. Furman, B. Cook, K. S. Nair, J. Kukowski, and I. G. Brodsky E586

Insulin sensitivity and glucose effectiveness: minimal model analysis of regular and insulin-modified FSIGT
G. Pacini, G. Tonolo, M. Sambataro, M. Maioli, M. Ciccarese, E. Brocco, A. Avogaro, and R. Nosadini E592

Urate uptake and lowered ATP levels in human muscle after high-intensity intermittent exercise
Y. Hellsten, B. Sjödin, E. A. Richter, and J. Bangsbo E600

The large variability in melatonin blood levels in ewes is under strong genetic influence
L. A. Zarazaga, B. Malpaux, L. Bodin, and P. Chemineau E607

Phosphatidylinositol 3-kinase activation is required for insulin-stimulated sodium transport in A6 cells
R. D. Record, L. L. Froelich, C. J. Vlahos, and B. L. Blazer-Yost E611

Ovine fetal leucine kinetics and protein metabolism during decreased oxygen availability
J. R. Milley E618

Melanin-concentrating hormone: a functional melanocortin antagonist in the hypothalamus
D. S. Ludwig, K. G. Mountjoy, J. B. Tatro, J. A. Gillette, R. C. Frederich, J. S. Flier, and E. Maratos-Flier E627

ERK2 mediates oxytocin-stimulated PGE_2 synthesis
Z. Strakova, J. A. Copland, S. J. Lolait, and M. S. Soloff E634

Time course of insulin action on tissue-specific intracellular glucose metabolism in normal rats
S. J. Koopmans, L. Mandarino, and R. A. DeFronzo E642

Adipose tissue metabolism in the postprandial period: microdialysis and arteriovenous techniques compared
L. K. M. Summers, P. Arner, V. Ilic, M. L. Clark, S. M. Humphreys, and K. N. Frayn E651

The cAMP-response element mediates induction of secretogranin II by CHX and FSK in GH_4C_1 cells
L. C. Jones and J. G. Scammell E656

On the mechanism of lactational anovulation in the rhesus monkey
T. Ördög, M.-D. Chen, K. T. O'Byrne, J. R. Goldsmith, M. A. Connaughton, J. Hotchkiss, and E. Knobil E665

High-protein meals do not enhance myofibrillar synthesis after resistance exercise in 62- to 75-yr-old men and women
S. Welle and C. A. Thornton E677

Whole body and splanchnic metabolic, circulatory, and thermal effects of oral vs. intravenous fat administration
T. Brundin E684

Insulin stimulation of glucose uptake in skeletal muscles and adipose tissues in vivo is NO dependent
D. Roy, M. Perreault, and A. Marette E692

Epinephrine translocates GLUT-4 but inhibits insulin-stimulated glucose transport in rat muscle
X.-X. Han and A. Bonen E700

Ca^{2+}-induced loss of Ca^{2+}/calmodulin-dependent protein kinase II activity in pancreatic β-cells
P. M. Jones and S. J. Persaud E708

Insulin secretion rates estimated by two mathematical methods in pancreas-kidney transplant recipients
E. Christiansen, L. L. Kjems, A. Vølund, A. Tibell, C. Binder, and S. Madsbad E716

Effects of age, gender, and senescence on β-adrenergic responses of isolated F344 rat brown adipocytes in vitro
A. M. Gabaldón, R. B. McDonald, and B. A. Horwitz E726

Effect of insulin on glycerol production in obese adolescents
C. Robinson, W. V. Tamborlane, D. G. Maggs, S. Enoksson, R. S. Sherwin, D. Silver, G. I. Shulman, and S. Caprio E737

Insulin-like growth factor-binding protein-5 (IGFBP-5) stimulates phosphorylation of the IGFBP-5 receptor
D. L. Andress E744

Signaling and sites of interaction for RX-871024 and sulfonylurea in the stimulation of insulin release
A. M. Efanov, S. V. Zaitsev, I. B. Efanova, S. Zhu, C.-G. Östenson, P.-O. Berggren, and S. Efendić E751

MODELING IN PHYSIOLOGY

Population-based modeling to demonstrate extrapancreatic effects of tolbutamide
A. Rostami-Hodjegan, S. R. Peacey, E. George, S. R. Heller, and G. T. Tucker E758

No. 5. MAY 1998

Mechanism of hypoxia-stimulated glucose transport in rat skeletal muscle: potential role of glycogen
T. H. Reynolds IV, J. T. Brozinick, Jr., M. A. Rogers, and S. W. Cushman E773

Evidence against a role for the growth hormone-releasing peptide axis in human slow-wave sleep regulation
R. Moreno-Reyes, M. Kerkhofs, M. L'Hermite-Balériaux, M. O. Thorner, E. Van Cauter, and G. Copinschi E779

Training-induced alterations in fat and carbohydrate metabolism during exercise in elderly subjects
S. Sial, A. R. Coggan, R. C. Hickner, and S. Klein E785

Effect of pregnancy on the metabolic clearance rate and the volume of distribution of oxytocin in the baboon
W. B. Kowalski, L. Diveky, R. Mehendale, M. Parsons, and L. Wilson, Jr. E791

Glucose-induced pulsatile insulin release from single islets at stable and oscillatory cytoplasmic Ca^{2+}
P. Bergsten E796

Phenylbutyrate-induced glutamine depletion in humans: effect on leucine metabolism
D. Darmaun, S. Welch, A. Rini, B. K. Sager, A. Altomare, and M. W. Haymond E801

Dual-energy X-ray absorptiometry: fat estimation errors due to variation in soft tissue hydration
A. Pietrobelli, Z. Wang, C. Formica, and S. B. Heymsfield E808

Human kidney and liver gluconeogenesis: evidence for organ substrate selectivity
M. Stumvoll, C. Meyer, G. Perriello, M. Kreider, S. Welle, and J. Gerich E817

Dissociation of the effects of amylin on osteoblast proliferation and bone resorption
J. Cornish, K. E. Callon, C. Q.-X. Lin, C. L. Xiao, T. B. Mulvey, D. H. Coy, G. J. S. Cooper, and I. R. Reid E827

PACAP stimulates insulin secretion but inhibits insulin sensitivity in mice
K. Filipsson, G. Pacini, A. J. W. Scheurink, and B. Ahrén E834

Mass isotopomer study of the nonoxidative pathways of the pentose cycle with [1,2-$^{13}C_2$]glucose
W.-N. P. Lee, L. G. Boros, J. Puigjaner, S. Bassilian, S. Lim, and M. Cascante E843

Effects of thiopental anesthesia on local rates of cerebral protein synthesis in rats
C. B. Smith, C. Eintrei, J. Kang, and Y. Sun E852

Total body lipid and triglyceride response to energy deficit: relevance to body composition models
R. Comizio, A. Pietrobelli, Y. X. Tan, Z. Wang, R. T. Withers, S. B. Heymsfield, and C. N. Boozer E860

Mechanisms contributing to angiotensin II regulation of body weight
L. A. Cassis, D. E. Marshall, M. J. Fettinger, B. Rosenbluth, and R. A. Lodder E867

Glutamate transport asymmetry in renal glutamine metabolism
P. Carter and T. C. Welbourne E877

Insulin inhibits vascular smooth muscle contraction at a site distal to intracellular Ca^{2+} concentration
A. M. Kahn, A. Husid, T. Odebunmi, J. C. Allen, C. L. Seidel, and T. Song E885

Hepatic glucose disposition during concomitant portal glucose and amino acid infusions in the dog
M. C. Moore, P. J. Flakoll, P.-S. Hsieh, M. J. Pagliassotti, D. W. Neal, M. T. Monohan, C. Venable, and A. D. Cherrington E893

Distribution and kinetics of amylin in humans
M. Clodi, K. Thomaseth, G. Pacini, K. Hermann, A. Kautzky-Willer, W. Waldhäusl, R. Prager, and B. Ludvik E903

Genetic and environmental influences on prolactin secretion during wake and during sleep
P. Linkowski, K. Spiegel, M. Kerkhofs, M. L'Hermite-Balériaux, A. Van Onderbergen, R. Leproult, J. Mendlewicz, and E. Van Cauter E909

Intracellular Mg^{2+} regulates ADP phosphorylation and adenine nucleotide synthesis in human erythrocytes
S. Page, M. Salem, and M. R. Laughlin E920

Lymphocyte transfer in streptozotocin-induced diabetes: adhesion of donor cells to islet endothelium
M. Enghofer, J. Bojunga, R. Ludwig, A. Oldenburg, A. Bernd, K. H. Usadel, and K. Kusterer E928

SPECIAL COMMUNICATIONS

Metabolite levels in human skeletal muscle and adipose tissue studied with microdialysis at low perfusion flow
H. Rosdahl, K. Hamrin, U. Ungerstedt, and J. Henriksson E936

Effects of hyperthyroidism on vascular contractile and relaxation responses
R. M. McAllister, V. D. Grossenburg, M. D. Delp, and M. H. Laughlin E946

Limitations in estimating gluconeogenesis and Cori cycling from mass isotopomer distributions using [U-$^{13}C_6$]glucose
B. R. Landau, J. Wahren, K. Ekberg, S. F. Previs, D. Yang, and H. Brunengraber E954

No. 6. JUNE 1998

Acetogenesis does not replace ketogenesis in fasting piglets infused with hexanoate
S. H. Adams and J. Odle E963

α-MSH potentiates the responsiveness of mammotropes by increasing Ca^{2+} entry
L. Nuñez and L. S. Frawley E971

Regional acetate kinetics and oxidation in human volunteers
B. Mittendorfer, L. S. Sidossis, E. Walser, D. L. Chinkes, and R. R. Wolfe E978

Glycemia-lowering effect of cobalt chloride in the diabetic rat: role of decreased gluconeogenesis
F. Saker, J. Ybarra, P. Leahy, R. W. Hanson, S. C. Kalhan, and F. Ismail-Beigi E984

Endotoxin-induced alteration in the expression of leptin and β_3-adrenergic receptor in adipose tissue
D. E. Berkowitz, D. Brown, K. M. Lee, C. Emala, D. Palmer, Y. An, and M. Breslow E992

Effect of hyperinsulinemia on plasma leptin concentrations and food intake in rats
S. J. Koopmans, M. Frolich, E. H. Gribnau, R. G. J. Westendorp, and R. A. DeFronzo E998

Mechanisms involved in the protective effect of estradiol-17β on lipid peroxidation and DNA damage
S. Ayres, W. Abplanalp, J. H. Liu, and M. T. R. Subbiah E1002

Adiposity and serum leptin increase in fatty (*fa/fa*) BNZ neonates without decreased VMH serotonergic activity
B. A. Horwitz, J. S. Hamilton, V. H. Routh, K. Green, P. Havel, and A. Chan E1009

Thyroid receptor plasticity in striated muscle types: effects of altered thyroid state
F. Haddad, A. X. Qin, S. A. McCue, and K. M. Baldwin E1018

Fat balance in obese subjects: role of glycogen stores
P. Schrauwen, W. D. Van Marken Lichtenbelt, W. H. M. Saris, and K. R. Westerterp E1027

Vagotomy in young obese hyperglycemic mice: effects on syndrome development and islet proliferation
A. Edvell and P. Lindström E1034

Effects of exercise on neuroendocrine secretions and glucose regulation at different times of day
A. J. Scheen, O. M. Buxton, M. Jison, O. Van Reeth, R. Leproult, M. L'Hermite-Balériaux, and E. Van Cauter E1040

Effect of growth hormone treatment on postprandial protein metabolism in growth hormone-deficient adults
D. L. Russell-Jones, S. B. Bowes, S. E. Rees, N. C. Jackson, A. J. Weissberger, R. Hovorka, P. H. Sonksen, and A. M. Umpleby E1050

Behavioral and endocrine traits of obesity-prone and obesity-resistant rats on macronutrient diets
J. Wang, J. T. Alexander, P. Zheng, H. J. Yu, J. Dourmashkin, and S. F. Leibowitz E1057

Extreme hyperinsulinemia unmasks insulin's effect to stimulate protein synthesis in the human forearm
T. A. Hillier, D. A. Fryburg, L. A. Jahn, and E. J. Barrett E1067

Effect of aging on β-adrenergically mediated thermogenesis in men
D. A. J. M. Kerckhoffs, E. E. Blaak, M. A. Van Baak, and W. H. M. Saris E1075

Skeletal muscle malonyl-CoA content at the onset of exercise at varying power outputs in humans
L. M. Odland, R. A. Howlett, G. J. F. Heigenhauser, E. Hultman, and L. L. Spriet E1080

Genetic variability in melatonin concentrations in ewes originates in its synthesis, not in its catabolism
L. A. Zarazaga, B. Malpaux, D. Guillaume, L. Bodin, and P. Chemineau E1086

Remodeling of the HDL in NIDDM: a fundamental role for cholesteryl ester transfer protein
C. K. Castle, S. L. Kuiper, W. L. Blake, B. Paigen, K. R. Marotti, and G. W. Melchior E1091

Preferential utilization of newly synthesized cholesterol for brain growth in neonatal lambs
S. D. Turley, D. K. Burns, and J. M. Dietschy E1099

β-Adrenergic receptor number in human lymphocytes is inversely correlated with aerobic capacity
N. Fujii, S. Homma, F. Yamazaki, R. Sone, T. Shibata, H. Ikegami, K. Murakami, and H. Miyazaki E1106

Response of normal and osteoporotic human bone cells to mechanical stress in vitro
J. G. H. Sterck, J. Klein-Nulend, P. Lips, and E. H. Burger E1113

RAPID COMMUNICATION

Short-term culture of ovine embryos modifies fetal myogenesis
E. K. Maxfield, K. D. Sinclair, P. J. Broadbent, T. G. McEvoy, J. J. Robinson, and C. A. Maltin E1121

The Journal no longer publishes print subject and author indexes. Full searchability is available in the online version (**http://www.ajpendo.org**).

CORRIGENDA

Volume 273, September 1997
Volume 36, September 1997

Pages E650–E654: C. Meyer, V. Nadkarni, M. Stumvoll, and J. Gerich. "Human kidney free fatty acid and glucose uptake: evidence for a renal glucose-fatty acid cycle." Page E650: the primed-continuous infusion rates of [6-^{3}H]glucose were given erroneously as "20–30 μCi, 0.2–0.3 μCi/min." The correct rates should have read "~50 μCi, ~0.5 μCi/min."